



# Poly-Classic Round Non-Tapered Columns Size Specification Tables




Poly-Classic column shafts are architecturally detailed and molded from fiberglass reinforced polymer. Caps and bases are manufactured from low maintenance materials: FRP, polyurethane, etc. CAD prints are available singly in PDF (email), DXF or DWG (email), FAX, or on drafting vellum (24" x 36") upon request. Split columns and split/reassembled columns are NOT load bearing. Split plans and reassembly instructions are on page 19. Columns must be painted. Please see installation instructions on page 16-19. Hardware kits for column installation and reassembly of split columns are on page 6.



Shaft Diameter	Inside Round	Inside Square
8"	6 3/8"	4 1/2"
10"	8"	5 5/8"
12"	10 3/8"	7 5/16"
14"	11 1/8"	7 7/8"



Nominal Shaft	Optional Attic Base						
	Plinth		Round				
	A	B	C	D	E	F	B-F
8"	10 7/8	1 7/8	1 1/8	7/8	3/4	1/2	5 1/8
10"	13 1/2	2 3/8	1 1/4	1 1/8	7/8	5/8	6 1/4
12"	16 1/8	2 3/4	1 1/2	1 3/8	1	5/8	7 1/4
14"	18 1/2	3 5/16	1 3/4	1 21/32	1 1/4	11/16	8 21/32



Column Shaft		Tuscan Base					Tuscan Cap			
Nominal Outside Diameter†	Inside Diameter‡	Plinth		Rounds		Total Ht.	Round	Square		Total
		A	B	C	D	B-D	E	F	G	E-F
8"	6 3/4	10 7/8	1 7/8	1 3/4	5/8	4 1/4	1 13/16	1 3/4	12 5/32	3 9/16
10"	8 3/8	13 1/2	2 3/8	2 1/8	3/4	5 1/4	1 29/32	2	14 5/8	3 29/32
12"	10 3/4	16 1/4	2 3/4	2 3/8	7/8	6	2 15/32	2 5/16	16 31/32	4 25/32
14"	11 1/2	18 19/32	3 11/32	2 31/32	1	7 5/16	2 23/32	2 23/32	19 3/32	5 7/16

† Actual outside diameters are approximately 5/16" to 1/2" less than shown.

‡ Actual inside diameters may vary by 3/8"